



## Nevo

With Nevo, you can wield universal control over any remote-controlled consumer electronic (CE) device in the home or office and with the advanced Nevo products, begin to integrate the variety of emerging PC and CE technologies for the home today.

AUTHORISED DEALERS ONLY



July 2009

WHAT HI FI?   
 Stereo 2009/10   
 ★★★★★



WiFi



ONLY AVAILABLE WITH TRAINING

### Nevo Q50

Custom integrators can now provide clients with a total control solution, that delivers unmatched ease of use and intuitive simplicity. Boasting an incredible sleek and stylish design the Q50 can be completely personalised for the end-user.

#### Features:

- Fully customisable
- 2-way RF with signal confirmation
- Easy drag and drop programming
- Increased efficiency between jobs with Super-Fast Device Swap to instantly change programmed codes from one brand to the next
- Quick and simple customisation, with auto-resize and formatting of custom backgrounds and symbol images
- World's largest, professionally maintained database for AV control
- 31 programmable hard-keys

#### Specifications:

CPU:	Freescale iMX21 266 MHz
Memory:	64 MB SDRAM & 16 MB programmable space
Interface:	2.5" colour touch screen 31 programmable backlit hardkeys 4K Colour depth
Wireless:	2-way RF (Z-wave)
Ports:	2.0 mini USB interface/connection
OS:	.NET WinCE 5.0 Core edition
Battery:	1370 mAh battery
Power:	+5V DC 500mA
Dimensions	(LxWxH): 203.3 x 74.8 x 31.0mm
Weight:	204g
Certification:	FCC, CE, C-TICK, IEC, RoHS
Model no:	9850
RF Frequency:	European 868.42 MHz

#### Nevo Q50 Packaging contents:

- Nevo Q50 controller
- Charging cradle
- NevoStudio Pro CD-ROM
- 5V DC Power supply
- Mini USB cable
- Manual

Stock Code	Description
NE0056	NEVO Q50 REMOTE CONTROL

ONLY AVAILABLE WITH TRAINING

### Nevo S70

Nevo S70 is a universal controller that intuitively delivers total control of entertainment and digital media devices as well as access to online information and web services. With an elegant one-handed design and a brilliant 3.5 inch colour touch screen, it can be personalised for every user in the home.

#### Features:

- 19 programmable hard keys
- Fully customizable 3.5" colour touch screen
- Light and simple one-handed design
- Two forms of RF for ultimate control:
  - Z-Wave for superior non-line of sight control of home and A/V systems
  - Wi-Fi for control and access to IP based systems and information
- Professional installers use NevoStudio Pro software for full customisation and setup to simplify the most complex environments
- Create personal buttons and backgrounds to easily identify user commands
- Fully customise a single look or mix and match
- Sleek design fits comfortably in one hand

#### Specifications:

CPU:	Freescale iMX21 266 MHz
Memory:	64 MB SDRAM & 64 MB NAND Flash
Interface:	3.5" LCD Touch Screen 19 Programmable backlit hard keys
Wireless:	2-way RF (Z-wave), Wi-Fi (802.11g)
Ports:	2.0 mini USB interface/connection
OS:	.NET WinCE 5.0 Professional Edition
Battery:	1,880 mAh battery
Power:	5V DC 1200mA
Dimensions	(LxWxH): 188 x 78 x 30mm
Weight:	213g
Certification:	FCC, CE, C-TICK, IEC, RoHS, Z-Wave
Model no:	9971
RF Frequency:	European 868.42 MHz

#### Nevo S70 Packaging contents:

- Nevo S70 controller
- Charging cradle
- NevoStudio Pro CD-ROM
- 5V DC 1200mA Power supply
- Mini USB cable
- Manual

Stock Code	Description
NE0055	NEVO S70 REMOTE CONTROL

### Nevo Connect


Gain complete control of components that are in another room or hidden inside cabinets away from view. NevoConnect NC-50 is an intelligent bridge enabling total control with Nevo Q50.

#### Features:

- 7 individually addressable IR blasters (6 ports on the back, 1 set of LEDs in the front with a 180 and two way degree spread)
- Output Support: IR Serial (RS-232 1-way)
- Power and Video Sensing input for seamless macro execution
- Reliable and robust 2-way RF (Z-wave)
- Feedback LEDs to show individual port activity
- Adjustable IR output level
- Firmware upgradeable via USB or Z-wave
- RF antenna to enable optimal placement
- Industry standard 3.5mm IR ports
- RF Frequency: European 868.42 MHz

**Please note: Not supplied with Window Emitters**

Stock Code	Description
NE0065	NEVO CONNECT REMOTE



Nevo Brochure Available  
Stock Code: ZB0263H

NOT AVAILABLE IN IRELAND

**AUTHORISED DEALERS ONLY**

**Nevo**

New evolution in home control



### Voltage Sensing Interface

**Features:**

- Seamless macro operations of equipment that only supports toggle power commands
- Triggers on AC and DC, up to a 24V signal
- Removable 2 pin screw connector
- IR pass-through when emitter is connected in series. (Requires only one port on the NC-50 to both sense and control equipment)
- 3.5mm plug for Nevo Connect NC-50 port
- Compatible with Xantech interfaces (contact Technical Support for more information)
- Total length: 1.8m (6ft)

Stock Code	Description
NE0068	TRIGGER INTERFACE



### Video Sensing Interface

**Features:**

- Seamless macro operations of equipment that only supports toggle power commands
- Supports NTSC, PAL and SECAM
- Works in Composite or Component (green connector) video output ports
- RCA pass-through eliminates the need for dedicated output for sensing
- IR pass-through when emitter is connected in series. (Requires only one port on the NC-50 to both sense and control equipment)
- 3.5mm plug for Nevo Connect NC-50 port
- Total length: 2.7m (9ft)

Stock Code	Description
NE0067	VIDEO INTERFACE

**? Training Available**  
Call: 01279 501111



### High Gain Extension Antenna

**Features:**

- For use where suitable Z-Wave coverage cannot be achieved
- Increased Z-Wave coverage
- Allows easier placement outside of a 19" rack
- Supplied at a length of 4.5m inc. adhesive mount

Stock Code	Description
NE0069	HIGH GAIN EXT ANTENNA



### RS-232 Interface

**Features:**

- One-way and two-way pre configured RS-232 control of an attached device
- DB9 male connector
- Support baud rate: 1200, 2400, 9600, 19.2k 38.4k, 57.6k and 115k
- 3.5mm plug for Nevo Connect NC-50 port
- Total length: 3.6m (12ft)

Stock Code	Description
NE0066	RS-232 INTERFACE



### NevoLink

wired ip intelligent bridge

An IP addressable Intelligent Bridge for wireless use with both Nevo S70 and the older NevoSL. Utilising Wi-Fi for seamless IR control of connected equipment, includes proprietary IR window emitters.

Requires a networked home together with a wireless router.

Stock Code	Description
NE0060	NEVO LINK BASE STATION



### Nevo 6 Pack IR Emitters

- Sold in a box of 6 pieces
- Compatible with other standard 3.5mm IR emitter products
- 3.5mm plug for NevoConnect NC-50 port connection
- Total length 12 feet (3.6m)

Stock Code	Description
NE0070	NEVO 6 PACK IR EMITTERS

**NOT AVAILABLE IN IRELAND**



## Nevo

C2 and C3



### Nevo C2

#### Features:

- Rich 2.2" colour display
- Control up to 18 IR devices
- 41 programmable hard keys plus 12 display navigation keys
- IR learning
- Blue backlight
- Software controlled tilt switch
- Software controlled audio, 3 tones available
- Easy on-device programming for basic device setup
- Intuitive PC-based online programming for advanced features (Activities, Favourite Channels with logos, etc.)
- Provide simple one-touch control for your clients
- Built in IR database
- Online access to UEI's world class professionally maintained IR library

#### Specifications:

- Display: 2.2" QCIF Color Screen (176 x 220)
- USB: Mini USB for PC-based programming
- Battery: 3 AA Alkaline (included)
- Dimensions (LxWxD): 230 x 57 x 26
- Certifications: FCC, CE, C-Tick, IC, RoHS, WEEE

#### Package Contents:

- Nevo C2 Controller
- 3 AA Alkaline Batteries
- Quick Start Guide
- Setup Software CD
- USB Cable

Stock Code	Description
NE0020	NEVO C2 REMOTE



### Nevo C3

#### Features:

- IR/RF touch screen controller, rich 2.2" colour display
- Control up to 18 IR devices
- 41 programmable hard keys plus 4 preset keys
- Rechargeable battery with charging cradle (also USB chargeable)
- IR learning
- Blue backlight
- Software controlled tilt switch
- Software controlled audio, 3 tones available
- Works with Nevo REX-433 RF Extender (sold separately)
- Easy on-device programming for basic device control and RF setup
- Intuitive PC-based online programming for advanced features (Activities, Favourite Channels with logos, etc.)
- Provide simple one-touch control for your clients
- Built in IR database
- Online access to UEI's world class professionally maintained IR library

#### Specifications:

- Display: 2.2" QCIF Colour Touch Screen (176 x 220)
- RF: 433.92 MHz
- USB: Mini USB for PC-based programming and charging
- Battery: Li-Ion Rechargeable, 850mAh
- Power: 5V DC, 800mA
- Dimensions: (LxWxD): 220 x 57 x 19
- Certifications: FCC, CE, C-Tick, IC, RoHS, WEEE

#### Package Contents:

- NevoC3 Controller
- Rechargeable Li-Ion Battery
- Charging Station
- Power Supply
- Quick Start Guide
- Set up Software CD
- USB Cable

Stock Code	Description
NE0030	NEVO C3 RF/IR REMOTE

### NEVO REX-433 RF Extender (for C3 only)

#### Specifications:

- RF Communication: 433.92 MHz
- Ports: Six 3.5mm rear panel IR emitter ports
- Internal IR: 3 front panel IR blasters with 180° field of view
- Feedback: Power and RF transmission indicator LED
- Mounting: Wall-mount or free-standing
- Power Supply: 5VDC, 800mA
- Dimensions: (LxWxD): 33 x 100 x 87
- Certifications: FCC, CE, C-Tick, IC, RoHS, WEEE
- Power: 5V DC, 800mA
- Dimensions: (LxWxD): 220 x 57 x 19
- Certifications: FCC, CE, C-Tick, IC, RoHS, WEEE

#### Package Contents:

- Nevo REX-433 RF Extender
- Power Supply
- 6 IR Emitters
- Manual

Stock Code	Description
NE0040	NEVO REX 433 IR/RF EXTENDER



**AUTHORISED DEALERS ONLY**

**Nevo**

New evolution in home control



## NevoStudio Pro v3.0

NevoStudio Pro v3.0 allows installers to completely customise Nevo controllers using a powerful and flexible programming suite

NevoStudio Pro v3.0 is a powerful software application for Nevo Q50 and Nevo S70 that gives professional installers greater flexibility, fast programming, increased user interface design efficiency, and the ultimate in after-installation service and support.

**Features:**

- Wizards enable you to easily add or edit devices and automatically create control interfaces
- Nevo Widgets
- Program multiple controllers simultaneously
- Extremely intuitive interface includes drag and drop use of IR commands, backgrounds, buttons, symbols, themes and even entire devices
- Automatic image resizing so you can use your customer's holiday pictures on their interface without needing to resize in photo editing software
- SuperFast Device Swap enables you to replace one device with another throughout an entire program file; every button, every macro
- Copy / Paste macros between buttons or configurations or between separate jobs. This will automatically bring along all devices and commands when pasting between Jobs
- Rapid learning or HEX code editing of IR commands and the ability to save those edited IR and serial devices in your own personal library that can be expanded upon by sharing with others in the installer community.



Now Includes: 2-Way Pre Configured modules

- iPort
- Imerge
- Lutron Homeworks
- Lutron Radio RA
- Escient Fireball
- Kaleidescape
- Sonos




IMERGE



SONOS

Group and ungroup zones on the fly!



## Nevo Widgets

2 way scripting without the scripting. A drag and drop, building block style workspace, to create widgets that can send commands and receive feedback.

NevoWidgets can be practically anything as simple as a visual volume level indicator or as advanced as a whole home security interface. NevoWidgets can even be exported and shared with others with a single push of a button.

**Other NevoStudio Pro v3.0 enhancements:**

- Direct control of IP-enabled devices such as media servers, IP cameras, A/V Receivers
- Global flags to make macros even more powerful
- Scheduled macros to be executed at certain dates and times
- Timed Delay for use as a sleep timer
- Find in Job to locate any device command or configuration error easily anywhere in the Job file
- Improved Superfast Device Swap for more flexibility and convenience
- And many more ...



KALEIDESCAPES

